Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	7208	((receiv\$3 or provid\$3 or get\$3) near5 (software or program or application or data)) and (authenticat\$3 or authority or authoriz\$3 or validat\$3) and ((database or repository) near5 (application or program or software or data)) and ((transfer\$3 or deliver\$3 or offload\$3 or transport\$3 or transmit\$4) near5 (application or program or data or software)) and ((software or application or program or data or file) near5 ((model same manufactur\$3) or serial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/10/05 15:40
S2	7158	S1 and ((timestamp or "time stamp" or time-stamp or data or time) near5 (application or program or software or file or package or data or message))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 15:41
S3	319	((receiv\$3 or provid\$3 or get\$3) near5 (software or program or application or data)) and (authenticat\$3 or authority or authoriz\$3 or validat\$3) and ((database or repository) near5 (application or program or software or data)) and ((transfer\$3 or deliver\$3 or offload\$3 or transport\$3 or transmit\$4) near5 (application or program or data or software)) and ((software or application or program or data or file) near5 (model same manufactur\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/06 10:03
S4	317	S3 and ((timestamp or "time stamp" or time-stamp or data or time) near5 (application or program or software or file or package or data or message))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/06 10:38
S5	29	S4 and (set-top-box or set-top-terminal or "set top box" or "set top terminal" or "set top")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 12:21

S6	27	S4 and ("717"/\$.ccls. or "725"/\$. ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/06 15:19	
S7	1237	((download\$3 or offload\$3 or stream\$3 or forward\$3 or transfer\$4 or deliver\$3 or transport\$3 or send\$3) near5 (data or information or file or application or program or software or content) near5 (timestamp or time-stamp or "time stamp")) and (database or repository)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/06 16:11	
S8	108	S7 and authenticat\$3 and ((application or program or data or information or file or content) near5 (associat\$3 or correspond\$3 or relat\$3 or specific) near5 (manufact\$5 or model or type))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/06 16:17	
S9	7	S8 and ("717"/\$.ccls. or "725"/\$. ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/06 16:18	
S26	532	(load\$3 or process\$3) near5 (file or profile) near5 type near5 (host or node or device or terminal or set-top-box or set-top-terminal or "set top box" or "set top terminal" or "set top" or set-top)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 13:39	
S27	52	S26 and ((GUI or "user interface" or interface) near5 (input or parameter)) and ((creat\$3 or generat\$3 or compos\$3) near5 configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 14:51	
S28	35	S26 and (GUI or "user interface" or interface) and (set-top-box or set-top-terminal or "set top box" or "set top terminal" or "set top" or set-top)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 14:52	
S29	539879	(download\$3 or install\$5 or load\$3) near5 (software or application or file or data or program or content or service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:06	

	I					
S30	49	S29 and ((profile or file) near5 (specific or type) near5 (host or node or terminal or device or computer or computing or "set top box" or set-top-box or set-top-terminal or "set top terminal" or set-top or "set top")) and ((GUI or "user interface" or interface) near5 input near5 service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 15:47
S31	1	S29 and ((profile or file) near5 (specific or type) near5 (host or node or terminal or device or computer or computing or "set top box" or set-top-box or set-top-terminal or "set top terminal" or set-top or "set top")) and ((GUI or "user interface" or interface) near5 input near5 service near5 configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/10/10 15:43
S32	815	S29 and ((load\$3 or access\$3 or open\$3) near5 (profile or file) near5 (specific or type) near5 (host or node or terminal or device or computer or computing or "set top box" or set-top-box or set-top-terminal or "set top terminal" or set-top or "set top"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 15:47
S33	11	S32 and ((GUI or "user interface" or interface) near5 input near5 service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 15:48
S34	161	S32 and ((GUI or "user interface" or interface) near5 input)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:00
S36	16	S34 and ("717"/\$.ccls. or "725"/\$. ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 15:54
S37	35	S34 and ((generat\$3 or creat\$3 or compos\$3 or produce or producing) near5 configur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:00

S38	21	S34 and ("set top box" or set-top-box or set-top-terminal or "set top terminal" or set-top or "set top")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:05
S39	4512	((download\$3 or install\$5 or load\$3) near5 (profile or file)) and ("set top box" or set-top-box or set-top-terminal or "set top terminal" or set-top or "set top")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:11
S40	30	((download\$3 or install\$5 or load\$3) near5 (profile or file)) and ("set top box" or set-top-box or set-top-terminal or "set top terminal" or set-top or "set top") and ((GUI or "user interface" or interface) near5 input near5 service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:12
S41	433	((download\$3 or install\$5 or load\$3) near5 (profile or file)) and ("set top box" or set-top-box or set-top-terminal or "set top terminal" or set-top or "set top") and ((profile or file) near5 (specific or type) near5 (host or node or terminal or device or computer or computing or "set top box" or set-top-box or set-top-terminal or "set top terminal" or set-top or "set top"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:11
S42	181	S41 and ((GUI or "user interface" or interface) near5 input)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:13